MEMORANDUM

DATE: March 21, 2001

TO: Division of Shellfish Sanitation Staff

FROM: Robert E. Croonenberghs, Ph.D., Director

Division of Shellfish Sanitation

THROUGH: Robert W. Hicks, Director

Office of Environmental Services

SUBJECT: Plants – Procedure - HACCP Certification Requirements for Shellfish Plants

Delete Working Memo #S- 272

Purpose

The objectives of this protocol are:

- 1. To establish a uniform certification procedure for shellfish plants.
- 2. To establish a minimally acceptable HACCP plan by which to evaluate industry HACCP plans.

Introduction

The National Shellfish Sanitation Program Model Ordinance (MO) requires that all shellfish plants have a proper HACCP plan in order to be certified for the upcoming certification cycle. This memo will outline how these certifications will take place and how compliance with the MO will be judged.

Minimally Acceptable HACCP Plan

The ver. 3/20/01 HACCP plans attached are the minimally acceptable HACCP plans the Division will use to evaluate shellfish dealers for certification. Shellfish dealers can have critical control points (CCPs) and critical limits (CLs) that are more stringent, but not less than those stated in the attachments, unless the dealer can prove through a hazard analysis that a CCP or CL can be changed. The central office must approve any proposed changes to a CCP or CL. The plans do not represent the desires of the Division of Shellfish Sanitation, but rather contain the requirements of the MO and additional requirements from FDA in their 2/1/00 Guidance Document #1. HACCP plans are supposed to be living documents that change as science and practice validate other ways of eliminating hazards from occurring. Shellfish specialists will have to evaluate future plans based upon the requirements in the MO which define CCPs and critical limits. These requirements can change from year to year. Therefore, at the beginning of each certification cycle, HACCP plans shall be evaluated based upon the latest MO.

Certification Procedures

- 1. In order to be certified all dealers must have a suitable HACCP plan. This means that they must have all of the necessary forms prepared, with equipment, trained personnel and other necessary items in place.
- 2. All shellfish plants must have performed a hazard analysis. They are not required to show you their hazard analysis, but they must demonstrate knowledge of their plan and how it was developed. It must be stressed that they be aware of all elements of their plans and what their HACCP certified reviewer will do.
- 3. In order to be certified and listed in the November Interstate Certified Shellfish Shippers List, certification forms must be returned to the Central Office by the end of the first week of October. The inspection form must indicate that the plant has a minimally acceptable HACCP plan and that they have the appropriate sanitation monitoring procedures (Chapter X .02 in the MO) in place and that the facilities have no structural or functional problems which are out of compliance with the MO requirements.

General Items to check on all HACCP plans

- Whether the dealer's process changed from the last HACCP plan
- Whether the title of people that are indicated by the HACCP plan to monitor are the ones actually writing down the record, or use a generic statement of "plant personnel as assigned"
- Whether the plan is signed and dated every year
- Monitoring forms
 - Whether the firm has copies of all types of monitoring forms they will need
 - Whether the name and address of the firm is on these forms
 - Whether the actual times of actions are recorded, as opposed to the use of check marks
 - Whether the type of record the firm is keeping matches what the plan says will be measured

Specific Guidance Concerning Shellfish HACCP Plans

(note that shellfish refers to both shellstock and shucked shellfish for this section)

Receiving shellfish

- Must include the words "pathogens, marine biotoxins and toxic chemicals"
- Buying shellstock from other harvesters or dealers is beyond the scope of a boat certification, since storage would be required on occasion.

Shellstock - Points of transfer/loading docks

- This requirement has been put in the MO and FDA has debited us for not having it.
- Two hours out of temperature control is the requirement. The logic for a shorter time period for shellstock than for shucked product is that shucked product must be chilled to 45° F by the end of the time period, whereas shellstock is merely put under refrigeration and takes longer to cool.

Shellstock - Washing, grading and packing

- This CCP is not stated in the MO, but the requirement stands that once under refrigeration, shellstock must not be taken out of refrigeration. We are assuming, and FDA concurs, that 2 hours for processing in addition to the CCP for time at loading docks is reasonable. However, this CCP and the one for loading docks cannot be combined into 4 hours and monitored for one 4 hour period, because total time at loading docks is limited to 2 hours. One form to record times out of temperature at the CCPs for both loading docks and grading can be used, but the total time for each CCP is limited to 2 hours apiece. The rationale for this is that loading docks can be much hotter than grading rooms, and the shellstock should not be exposed to these high temperatures for more than 2 hours.
- DSS interpretation for washing, grading and boxing
 - Since dealers have 20 hours to get shellstock harvested under refrigeration, if they wash, bag and tag the product the day of harvest, then they do not need a CCP for it. Dealers must indicate in their hazard analysis that this is what they are doing and therefore do not need the CCP.
- DSS interpretation for shipments from dealer to dealer on day of harvest
 - Shellstock shipped from dealer to dealer on the day of harvest does not have to be refrigerated, since it falls within the exception from the refrigeration requirement within 20 hours of harvest.

Shellfish storage

- Shellfish under refrigeration storage must be monitored a minimum of twice per day, this is FDA's required guidance to its shellfish specialists.
 - Shellstock under refrigerated storage must have the corrective actions worded exactly as provided if only monitored twice per day.
- Iced shellfish must be monitored a minimum of once per day and corrective actions should be included to reflect the essence of what is provided.

Frequency of temperature sensor calibration

- FDA is teaching that monthly calibration is required, it is not acceptable for a HACCP trained individual to establish a longer calibration frequency.
- Monthly calibration can be avoided if all of the following are true:
 - The thermometer is certified with an expiration date to be NIST traceable for a certain period of time
 - That time interval is current
 - The thermometer has identification on it to identify it to the certificate, such as a serial number.
- Many thermometers are sold as NIST traceable, but are not acceptable since they are only certified to be traceable at the time of manufacture and not for a certain period of time.

Shucking and packing shellfish

- Six hour processing time
 - The Division still maintains that a 6 hour processing time is acceptable, though the MO only allows 4 hours and the FDA downgraded our plants in 2000 for using it.

- The data we developed is being statistically evaluated by Va. Tech now (prior to FDA's next evaluation).
- If the data shows 6 hours is unacceptable, we will have to immediately require a
- 4 hour interval to avoid a "major nonconformity" with the ISSC and the FDA.
- recording processing time
 - plant owners may develop a number of different ways to record this information
 - be sure that whatever an owner develops, that the plant can actually function within the parameters set and consistently meet the critical limits of time and temperature
 - one way to ease the record keeping is as follows
 - write a standard operating procedure (SOP) for packing shellfish
 - receiving window
 - record delivery time of shucker
 - establish that when shucked product is delivered to the receiving skimmer, that upon skimming into the temporary holding container that it is immediately and thoroughly packed in layers of ice and stirred, this stops the clock for the time out of temperature control used by the picker
 - hourly measure and record the temperature of this container to prove that it is chilled
 - ensure that shucker's processing time plus the standard packing time does not exceed allowed total processing time
 - blowing and packing
 - begin blowing with iced shucked oysters
 - use timer on each blower tank, and end blowing when timer rings
 - establish that as soon as blowing ends, that sufficient ice will be added to the blower tank and mixed in to ensure cooling to <45° F
 - record temperature of tank
 - write the SOP to use the amount of time while blowing as the time out of temperature control
 - using this method, oysters from each shucker do not have to be tracked through the blowing process, because the blowing process time has been standardized
 - verify process annually in writing as part of the hazard analysis justifying the critical limit for shucking time
- Interim repacking of shucked shellfish (shucked and stored in the cooler in large containers prior to final packing)
 - The HACCP plan must address this step.
 - The time out of temperature control is cumulative within the 6 hours processing time. No extra time can be provided for this step.
 - The dealer could eliminate the monitoring at this step if he does a verification study to show that the temperature of the shucked shellfish does not exceed 45° F during his standard process.

Repacking shucked shellfish

- The MO currently requires shellfish not to exceed 45° F during repacking.
- It is quite possible that the ISSC will allow 2 hours out of temperature control this
- DSS interpretation if a plant must raise the shellfish above 45° F during repacking, then we will accept a maximum of 2 hours out of temperature control for now

Miscellaneous points

Verification studies:

- Must be written to specifically say how they address the hazard and what CCP or monitoring step they are eliminating
- Must be added to the HACCP plan
- Must be done yearly
- If a dealer is found to repeat not to complying with his verification study, then he will have to implement monitoring the CCP.

Compliance, when evaluating records, means whether there are no more than 10% of the records missing or improper.

Firm Name:	Product Type:	Ovster, Hard clam	
Firm Address:	Process Method:	Reparking of previously packed	
7/2		shelfish for fresh distribution.	

(1) Critical	(2)	(3)		Monitorin	g		(8)	(9)	(10)
Control Point (CCP)	Significant Hazards	Critical Limits for each Presentive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Conactive action	Verification	Records
Receiving	Shellish may contain pathogens, marine biotosins and toxic chemicals if received from growing waters closed to shellish harvesting.	1) Receive only shelstock obtained from licensed harvester or aquaculurist who has; a) hervested the shelstock from approved areas as indicated by the tag and b) Montified the shelstock with a tag or transaction record —		Visualcheck	Upon receipt of each shipment	Plant personnel as assigned	are without an	review of shellish receiving records and corrective	Receiving Record Corrective action record

Signature of Company Official:	Date:	Page #1

Firm Name:	Product Type:	Ovster, Hard clam	
Firm Address:	Process Method:	Repacking of previously packed	
		shellfish for fresh distribution.	

(1)	(2)	(3)		Monitoring			(8)	(9)	(10)
Critical Control Point (CCP)	Significant Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Repacking Shucked shellfish	Growth of pathogenic bacteria	Shucked shellfish shall be maintained at an internal temperature of 45° F (7.2° C) or less. Frozen shellfish thawed for repacking shall not exceed an internal temperature of 45° F (7.2° C).	Temperature of shucked shellfish during processing.	Check temperature of representative sample of shellfish.	hours during	Plant personnel as assigned	Hold shellfish aside and	shellfish repacking records and corrective action records by a	shelifish repacking record Thermometer calibration record Corrective

Signature of Company Official:	 Date:	P	age#2

Firm Name:	Product Type:	Ovster: Hard clam
Firm Address:	Process Method:	Repacking of previously packed
		shellfish for fresh distribution.

(1) Critical	(2)	(3)	0.	Monitoring	l		(8)	(9)	(10)
Control Point (CCP)	Significant Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Shucked meat storage	Growth of pathogenic bacteria	Shucked and packed shellfish must be stored in: a) Ice or b) Under refrigeration at a temperature of 45°F (7.2°C) or less.	adequate ice or b) Storage area temperatures.	a) Visual check for presence of adequate ice or b) Recording storage area temperatures.	a) Minimum of 1 time per day for iced product or b) Minimum of 2 times per day for refrigerated product.	Plant personnel as assigned.	or if shellfish are not iced and cooler temp. is above 45°F, take temperature of shellfish. Shucked shellfish with a temperature greater than 45°F are iced and held for evaluation by, at a minimum, a HACCP trained individual for final	review of shucked meat storage records and corrective action records by a HACCP trained individual. Monthly calibrate	record Thermometer calibration record Corrective action record

Signature of Company Official:	Date:	Page #3
to the design of the second of		

Firm Name:	Product Type:	Ovster, Hard clam	
Firm Address:	Process Method:	Repacking of previously packed	
24		shellfish for fresh distribution.	

(1)	(2)	(3)		Monitoring			(8)	(9)	(10)
Critical Control Point (CCP)	Significant Hazards	Critical Limits for each Preventive Measure	(4) (5) (6) (7)		Corrective action	Verification	Records		
Shellstock Points of transfer/loading dock	Growth of pathogenic bacteria	Once under temperature control, shellstock not permitted to remain outside of refrigeration for more than 2 hours at loading dock,	temperature control.	Record duration of time shellstock outside of temperature control.	For every lot or pallet	Plant personnel as assigned.	temperature control for more than 2 hours then check internal temperature. If the internal temperature is between 45°F - 50°F, the shellstock will be iced or chilled as rapidly as practicable to bring the internal temperature to 45°F and moved to a cooler. If the shellstock temperature is >50°F, the product will be iced or chilled as rapidly as practicable to bring the	transfer records and corrective action records by a HACCP trained individual. Monthly calibrate thermometer against NIST certified thermometer or agitated ice slush; or Use NIST certified	Thermometer calibration record

Signature of Company Official:	Date:	Page # 4
ALCOHOLOGICAL CONTROL		

Firm Name:	Product Type:	Ovster, Hard clam
Firm Address:	Process Method:	Repacking of previously packed
- 170 - 170		shellfish for fresh distribution.

(1)	(2)	(3)	-	Monitoring			(8)	(9)	(10)
Critical Control Point (CCP)	Significant Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Shellstock Washing, grading and packing	Growth of pathogenic bacteria		temperature control.	Record duration of time shells tock outside of temperature control.	For every lot or pallet	as assigned.	the shellstock are dut of the temperature control for more than 2 hours then check internal temperature. If the internal temperature is between 45°F - 50°F, the shellstock will be iced or chilled as rapidly as practicable to bring the internal temperature to 45°F and moved to a cooler. If the shellstock temperature is >50°F, the product will be	transfer records and corrective action records by a HACCF trained individual. Monthly calibrate thermometer agains NIST certified thermometer or agitated ice slush; or Use NIST certified	Thermometer calibration record Corrective action record

Signature of Company Official:	Date:	Page # 5

Firm Name:	Product Type:	Ovster, Hard clam	
Firm Address:	Process Method:	Repacking of previously packed	
		shellfish for fresh distribution.	

(1) Critical	(2) Significant	(3)	C	Monitoring			(8) Corrective action	(9) Verification	(10) Records
Control Point (CCP)	Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who			
Shellstock storage	pathogenic bacteria	a) Iced; or b) Stored in a storage area or conveyance	ice; or b) Shellstock cooler temperature; or c) Wet storage area water	presence of adequate ice; or	Minimum of 2 times per day	assigned	(Note: If monitoring frequency is less than 3 times/day, the following corrective actions must be listed for cases "a" and "b".) (a & b) if the cooler temperature is >45°F and the shellstock temperature is between 45°F - 50°F, the shellstock will be iced or chilled as rapidly as practicable to bring the internal temperature to 45°F and moved to another cooler. If the cooler temperature is >45°F and the shellstock will be iced or chilled as rapidly as practicable to bring the internal temperature to 45°F, isolated and evaluated to insure the product is safe. c) Wet stored shellstock subjected to water quality conditions that do not meet the requirements of the Shellfish Model Ordinance will be evaluated by VDH for final disposition.	review of shellstock storage area records and corrective action records by HACCP trained individual. Monthly calibrate thermometer against NIST certified thermometer or	record Thermometer calibration record Corrective action record Wet storage permit

Signature of Company Official:	Date:	Page # 6

Firm Name: Firm Address:				Product Typ			vously processed & pack for fresh distribution	aoed_	
(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitorin (5) How	(6) Frequency	(7) Who	(8) Corrective action	(9) Verification	(10) Records
Receiving	Shelfish may contain pathogens, marine botoodns and loxic chemicals if received from growing waters closed to shelfish tranvesting.	All shellstock or shucked shelfish must originale from a dealer who has identified the shelfish with a tag or label.		Visual check	Upon recept of each shipment	Plant personnel as assigned	Reject any shelffish tha are without an identifying tag or label.	Minimum weekly review of shelifish receiving records and corrective action records by a HACCP trained individual.	ReceMng Record Corrective action recor
	closed to shelifish								

Page #1

ver. 3/28/01

Firm Name:	9			Product Type:	Ovster, Hard clam		
Firm Address:				Process Method:	Reshipping of previously processed & packaged		
	19 1				shellfish intended for fresh distribution.		
(1)	(2)	(3)	Monitorin	g	(8)		

(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitoring (5) How	(6) Frequency	(7) Who	(8) Corrective action	(9) Verification	(10) Records
Shellstock Points of transfer/bading dock	bacteria	Once under temperature control, shelstock not permitted to remain outside of refrigeration for more than 2 hours.	Trine out of temperature control.	Record duration of time shetslock outside of temperature control.	For everylot or pallet.	Ptant personnel as assigned.		transter records and corrective action records by a HACCP trained individual. Monthly calibrate thermometer against NIST certified thermometer or agitated foe stush; or Use NIST certified	Shellstock temperature control record Thermometer callbration record Corrective action record

Signature of Company Official:	Date:	Page #2

Firm Name:	Product Type:	Ovster, Hard clam
Firm Address:	Process Method:	Reshipping of previously processed & packaged
))	***	shellfish interided for fresh distribution.

(1) Critical	(2)	(3)		Monitoring			(8)	(9)	(10)
	Significant Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Shetslock storage	patrogenic bacteria	conveyance maintained at 45°F	ice; or b) Shelistock cooler temperature; or c) Wetstorage area water	a) Visual check for presence of adequate loe; or b) Record shelfstock cooler temperatures; or c) Wet storage permit	a & b) Minimum of 2 times per day	Plant personnel as assigned	(Note: If monitoring frequency is less than 3 times day, the following corrective actions must be listed for cases "a" and "b".) (a & b) if the cooler lemperature is >45°F and the shellstock temperature is between 45°F -50°F, the shellstock will be load or childed as rapidly as practicable to bring the internal temperature io 45°F and moved to another cooler. If the cooler lemperature is >45°F, and the shellstock lemperature is >50°F, the shellstock will be load or childed as rapidly as practicable to bring the internal temperature io 45°F, isolated and evaluated to insure the product is safe. c) Wet stored shellstock subjected to water quality conditions that do not meet the requirement of the Shellitsh Model Crothance will be evaluated by VDH for final disposition.		Shallstock storage temperature record Thermometer calibration record Corrective action record Wet storage permit

Signature of Company Official:	Date:	Page #3

Firm Name: Firm Address:	2 2 3			Product Type Process Met	nod:		iousiv processed & p or fresh distribution.		
(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitoring (5) How	(6) Frequency	(7) Who	(8) Corrective action	(9) Verification	(10) Records
Shucked meat storage	Growh of pathogenic bacteria	Shincked and packed shelfish must be stored in: a) loe or b) Under refrigeration at a temperature of 45°F (7.2°C) or less.	adequate ice or b) Storage area terriperatures.	a) Visual check for presence of adequate loe or b) Recording storage area temperatures.	a) Mrimum of 1 time per day for iced product or b) Mrimum of 2 times per day for refligerated product.	as assigned.	ice, or if shelftshare not load and cooler temperature is above 45°F, take temperature of shellfish with a temperature greater than 45°F are load and held for evaluation by, at a mirimum, at a meride.	review of shucked meat storage records and corrective action records by a HACCP trained individual. Monthly calibrate thermonieter against	Shucked meat storage record Thermometa calibration record Corrective action record

Signature of Company Official:	Date:	Page #

Firm Addr	Or off		56 50 62	Process Me	thod:	Hand shucking p shelifish for fresh	acking and repacking	— ::	
(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitorin (5) How	g (6) Frequency	(7) Who	(8) Corrective action	(9) Verification	(10) Records
Receiving	maitne bioloxins and toxic chemicals if received from growing waters closed to shellifsh	shellstock obtained from licensed harvester or aquaculturist who has; a) harvested the shellstock from approved areas as indicated by the tag	transaction record	Visual check	Upon receipt of each shipment	Plant personnel as assigned	identifying tag, label or	Minimum weekly review of shellfish receiving records and corrective action records by a HACCP trained individual.	Receiving Record Corrective action record

Signature of Company	y Official:	Date:	Page #1

Firm Name: Firm Addres	5.		-	Product Process	Type: Method:		ster, Hard clam and shucking, packing and recackin eitlish for fresh distribution		
(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitoring (5) How	(6) Frequency	(7) Who	(8) Corrective action	(9) Verification	(10) Records
Shelistock Points of transfer/loading dock	Growth of pathogenic bacterta	Once under temperature control, shelistock not permitted to remain outside of retrigeration for more than 2 hours at loading dock.	temperature control		For every lot or pallet.	Plant personnel as assigned.	If the internal temperature is between 45°F - 50°F, the shellshock will be leed or chilled as rapidly as practicable to bring the internal temperature to be shellshock will be leed or chilled as rapidly as practicable to bring the internal temperature to 45°F and moved to a cooler. If the shellshock temperature is >50°F, the product will be leed or chilled as rapidly as practicable to bring the internal temperature to	thermometer against NIST certified thermometer or agitaled lice slush; or Use NIST certified thermometer and check to ensure certification duration is	Shelistock temperature control record Thermometer calbration record Corrective action record

Signature of Company Official:	Date:	Page #2

yer. 3/20/01

Firm Name:		Product Type:	Ovster, Hard dam
Firm Address:		Process Method:	Hand shucking, backing and repacking
100 pt 10	<u> </u>		shellflish for fresh distribution

(1) Critical	(2)	(3)		Monitoring	É		(8)	(9)	(10)
Control Point (CCP)	Significant Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Shelstock Washing, grading, and packing	Growth of pathogenic bacteria	Once under temperature control, shelistock not permitted to remain outside of retrigeration for more than 2 hours while processing.	Time out of lemperature control.		For every lot or pallel.	Piant personnel as assigned.	2 hours then check internal lemperature. If the internal temperature is between 45°F - 50°F, the shellstock will be loed or chilled as rapidly as practicable to bring the	thermoneter against. NIST certified thermoneter or agitaled loe slush; or Use NIST certified thermoneter and check to ensure certification duration is	Shelistock temperature control record Thermometer calibration record Corrective action record

Signature of Company Official:	Date:	Page #3

Firm Name:	Product Type:	Ovster, Hard dam
Firm Address:	Process Method:	Hand shucking, packing and repacking
		shellfish for fresh distribution

(1) Critical	(2)	(3)		Monitoring			(8)	(9)	(10)
Control Point (CCP)	Significant Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
SheIslock storage	patrogenic	Shelislock must be: a) Iced; or b) Stored in a storage area or conveyance maintained at 45°F (7.2°C) or less; or c) Placed in an approved wet storage area.	iće; or b) Shellstock cooler	adequate ice; or b) Record shellslock cooler temperatures; or	Minimum of 2 times per day	Plant personnel as assigned	(Note: If monitoring frequency is less than stripes as the coloring careins as which be listed for cases a sind or). (a & b) if the cooler temperature is >45°F and the shell-slock emperature is between 45°F - 50°F, the shellslock will be load or chilled as rapidy as practicable to bring the internal temperature to 45°F and moved to another cooler. If the cooler temperature is >45°F and the shellslock imperature is >50°F, the shellslock will be load or chilled as rapidly as practicable to bring the internal temperature to 45°F, is claided and evaluated to insure the product is safe. () Wet stored shellslock subjected to water quality conditions that do not meet the requirements of the Shellish Model Cordinance will be evaluated by VDH for final disposition.	storage area records and corrective action records by a HACCP trained individual	temperature record Thermometer calibration

Signature of Company Official:	Date:	Page #4

(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Process Method: Monitoring (5) How	V		cking and repacking sirbulion (8) Corrective action	(9) Verification	(10) Records
	Growth of pathogenic bacteria	processing begins to the time shucked meats are chilled to an internal lamperature of 45°F (7.2°C) shall not exceed 3 hours. 2) For shellstock that has been refrigerated prior to shucking, the time shellfish are removed from the shellstock coder to the time shucked meats are chilled to an internal temperature of 45°F (7.2°C) shall not exceed 6 hours. 3) For heat shocked shellstock the shucked shellstock the shucked sh	chilled to an internal temperature of 45°F (7.2°C). Temperature of shellfish at time of packing. 3) For heat shocked shellfish.	1) Record time that shucking begins and record the time when the last shucked product is chilled to an internal temperature of 45°F (7.2°C) or less. Record temperature of a representative sample of shellish at time of packing. 2) Record time that shellstock are initially removed from the cooker for shucking and record the time when the tast shucked product is chilled to an internal temperature of 45°F (7.2°C) or less. Record temperature of a representative sample of shellish at time of packing. 3) Record elapsed time from heat shucked products to time heat shucked shellish are at 45°F (7.2°C) or less.		as	and implement temperature control. Shucked shelffish meats out of temperature control for more than 6 hours during processing will	review of shellfish weighing/ packing records and corrective	Shellfish weighing/ packing record Thermometer calibration record Corrective action record

Signature of Company Official:	Date:	Page # 5
--------------------------------	-------	----------

Firm Name Firm Addrs (1)	100	5000		Product 1 Process I			d dam ing, packing and receiving iresh distribution (8)	(9)	(10)
Critical Control Point (CCP)	Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Repacking Situcked shellfish	Growth of pathogenic bacleria		Temperature of shucked shellfish during processing.	Check temperature of representative sample of shellfish	hours during	assigned	3) Hold shellish aside and evaluate by, at a minimum, a HACCP trained individual.	shelifish repacking records and corrective action	calibration record Corrective

Signature of Company Official: Date:	Page #6

Firm Address: (1) Critical	(2)	(3)		Process Melt Monitoring	rod:		o, packing and resacking esh distribution (8)	(9)	(10)
Control Point (CCP)	Significant Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Shucked meat storage	Growth of pathogenic bacteria	stored in: a) Ice	adequate ice or b) Storage area temperatures.	aj Visual check for presence of adequale ice or b) Recording storage area temperatures.	a) Mrimum of 1 time per day for leed product or b) Mrimum of 2 times per day for refligerated product.	Plant personnel as assigned.	shelifish. Shucked shelifishwith a temperature greater than 45°F are loed and held for evaluation by; at a minimum, a HACCP	meat storage records and corrective action records by a HACCP trained individual.	Shucked insal storage record Thermometer calibration record Corrective action record

Signature of Company Official:	Date:	Page #1

yer. 3/20/01

Firm Address:				Product Type: <u>Ovster, Hard clarin</u> Process Method: <u>Washing, grading and packaging of</u> whole, live shellfish in the shell				
(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitorin (5) How	g (6) Frequency	(7) Who	(8) Corrective action	(9) Verificati
Receiving	Shellfish may	Receive only	Shelstock tag	Visualcheck	Upon receipt of	Plant personnel	Reject any shellstock	Minimum we

Critical Control Point (CCP)	Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Receiving Shellstock		Receive only shellstock: 1) Obtained from liberised harvester or aquaculturist who has; a) harvested the shellstock from approved greas as indicated by the tag and b) identified the shellstock with a tag or transaction record—or—2) Obtained from a dealer who has identified the shellstock with a tag or transaction record.	Shelslock tag or transaction record	Visual check	Upon receipt of each shipment	Plant personnel as assigned	Reject any shelistock that are without an identifying lag or fransaction record.	Minimum weekly review of shellstock receiving records and corrective action records by a HACCP trained individual.	Shelslock Receifing Record Corrective action record

Signature of Company Official:	Date:		Page #1
5 K K K	3 <u>40</u>	<u>0</u> 1-	

Firm Name:	Product Type:	Ovster, Hard clam
Firm Address:	Process Method:	Washing, grading and packaging of
60		whole, live shellfish in the shell

(1) Critical	(2)	(3)		Monitoring	ļ.	,	(8)	(9)	(10)
Control Point (CCP)	Significant Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Shelslock Points of transfer/bading dock	Growth of pathogenic bacterta	Once under temperature control, shelistock not permitted to remain outside of retrigeration for inore than 2 hours at loading dock.	Time out of lemperature control.	Record duration of time shellstock outside of temperature confroi.	For every lot or pallet.	Plant personne as assigned.	If the shellslock are out of lemperature control for more than 2 hours then check ritemal lemperature. If the internal semperature is between 45°F - 50°F, the shellslock will be loed or chilled as rapidly as practicable to bring the internal temperature to 45°F and moved to a cooler. If the shellslock imperature to the first part of	review of sensition transfer records and corrective action records by a HACCP trained individual. Monthly calibrate	Shelistock temperature control record Thermometer calibration record Corrective action record

Signature of Company Official:	Date:	Page #2

Firm Address:			======================================	Product Type: Ovster, Hard dam Process Method: Washing grading and packaging of whole. Itse shellfish in the shell						
(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitoring (5) How	(6) Frequency	(7) Who	(8) Corrective action	(9) Verification	(10) Records	
Shetslock Washing, grading and packing	Growth of pathogenic bacteria	Orice unider temperature control, shelistock not permitted to remain culside of refugeration for more than 2 hours while processing.	Time out of lemperature control.	Record duration of time shellshock outside of temperature control.	For every lot or pallet	Plant personnel as assigned.	If the salestack are out or temperature control for more than 2 hours then check hitemal lemperature. If the internal lemperature is between 45°F - 50°F, the shellstock will be lead or chilled as rapidly as practicable to bring the internal temperature to 45°F and moved to a cooler. If the shellstock kamperature is >50°F, the productivit be lead	Minimum weekly neview of shellstoot transfer records and corrective action records by a HACCP lack thermometer against NIST certified thermometer or agitated (se slush; Use NIST certified thermometer or agitated to estush; Use NIST certified thermometer and check to ensure certification is still valid.	record	

Date:	Page #3
	Date:

Frm Name:	Product Type:	Ovster, Hard dam
Firm Address:	Process Method:	Washing grading and packaging of
		whole, live shallfish in the shall

(1) Critical	(2)	(3)	C	Monitoring			(8)	(9)	(10)
Control Point (CCP)	Significant Hazards	Critical Limits for each Preventive Measure	(4) What	(5) How	(6) Frequency	(7) Who	Corrective action	Verification	Records
Shetslock storage	pathogenic	Shelslock must be: a) Iced; or b) Skored in a storage area or conveyance mantained at 45°F (7.2°C) or less; or c) Placed in an approved wet storage area.	ice; or b) Shellstock cooler leniperature; or	for presence of	a & b) Mirrimum of 2 Itmes per day	25	Note: If incontaining frequency is less than strings and the properties actions with the latest for cases of and the properties actions the latest for cases of and the properties actions and the shellstock temperature is between 45°F - 50°F, the shellstock will be load or critical as rapidy as practicable to bring the internal temperature to 45°F and moved to another cooler. If the cooler temperature is >45°F, the shellstock will be load or chilled as rapidly as practicable to bring the internal temperature to 45°F, is challed and evaluated to insure the product is safe. C) Wet stored shellstock subjected to water quality conditions that do not meet the requirements of the Shellstsh Model Circianace will be evaluated by VDH for linal disposition.	storage area records and corrective action records by a HACCP trained individual.	record Thermometer calibration

Signature of Company Official:	Date:	Page #4

Example HACCP Plan Form - Shellstock Shipper (boat certification)

Firm Addres				Process Meth	od: <u>s</u>	hellslock war	shed, bagged or boxe offlin 20 hours of harv	Makasaran merekanan s	arvest
(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitoring (5) How	(6) Frequency	(7) Who	(8) Corrective action	(9) Verification	(10) Records
Harvesting	Shellish may contain pathogens, marine blotoxins and boto chemicals if harvested from growing waters closed to shellitsh harvesting.	Ship only shellfish: a) harvested under this boal certification b) harvested from approved areas c) identified with shellstock tag.	and shellstock	a) On shellstock tag: record type of shellfish, harvest location, and harvest date. b) On shipping record: indicate type of shellfish, quantity, harvest location, harvest date and buyer.	Tag each shellslock packed. Daily for shipping record	Harvester		Minimum weekly review of shelislock shipping records by a HACCP trained individual.	shipping record

Signature of Company Official:	Date:	Page #1
orginature or company ornidar.	Date.	_ rage = 1

Example HACCP Plan Form - Shellstock Shipper (shucked product)

Firm Address:	9			Product Typ Process Me	33.50	Ovster, Hard clam Reship shucked s Intended for fresh	heliish		
(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitorin (5) How	g (6) Frequency	(7) Who	(8) Corrective action	(9) Verification	(10) Records
Receiving	Shelifish may contain pathogens, matine biotoxins and loxic chemicals if received from growing waters closed to shelifish harvesting.	Shucked shellfish must originale from a dealer who has identified the shellfish with a label.	-	Visual check	Upon receipt of each shipment	Plant personnel as assigned	Reject any shelifish that are without an identifying label.	Minimum weekly review of shellish receiting records and corrective actions by a HACCP trained individual.	Receiving Record Corrective action record

Signature of Company Official:	Date;	Page

Example HACCP Plan Form - Shellstock Shipper (shucked product)

Firm Address:			20 22 38	Process Melt	nod:	Reship shucked s intended for fresh	hellish		
(1) Critical Control Point (CCP)	(2) Significant Hazards	(3) Critical Limits for each Preventive Measure	(4) What	Monitoring (5) How	(6) Frequency	(7) Who	(8) Corrective action	(9) Verification	(10) Records
Shucked meat storage	Growth of pathogenic bacteria	stored in: a) Ice	adequate ice or b) Storage area temperatures.	a) Visual check for piesence of adequate ice or b) Recording storage area temperatures.	a) Minimum of 1 time per day kr leed product or b) Minimum of 2 times per day for refitgerated product.	Plant personnel as assigned.	If load shellfish are without adequate loe, or if shellfish are not load and cooler temperature is above 45°F, take temperature of shellfish. Shucked shellfish with a temperature greater than 45°F are load and held for evaluation by, at a mirimum, a HACCP trained individual for final disposition. Restore temperature control.	review of shucked meat storage records and corrective action records by a HACCP trained individual. Monthly calibrate	record Thermometer calibration record Corrective action record

Signature of Company Official:	Date:	Page 2